

Percent of Alabamians By Smoker Status , 2015					
		Current Smoker*		Former Smoker	
		%	95% Confidence Interval	%	95% Confidence Interval
Statewide Prevalence		21.4	(20.0-22.8)	22.9	(21.7-24.1)
By Sex (%)	Male	23.8	(21.6-26.0)	27.6	(25.6-29.6)
	Female	19.2	(17.4-21.0)	18.6	(17.0-20.2)
By Race (%)	White non-Hispanic	21.9	(20.3-23.5)	26.7	(25.1-28.3)
	Black non-Hispanic	20.0	(17.3-22.7)	14.2	(12.2-16.2)
By Household Income (%)	Less than 15,000	31.5	(27.2-35.8)	20.9	(17.6-24.2)
	\$15,000-24,999	25.8	(22.5-29.1)	22.9	(20.0-25.8)
	\$25,000-34,999	26.3	(21.2-31.4)	20.8	(16.9-24.7)
	\$35,000-49,999	20.4	(16.3-24.5)	26.5	(22.6-30.4)
	\$50,000-74,999	20.8	(17.1-24.5)	25.0	(21.3-28.7)
	\$75,000+	12.3	(9.8-14.8)	22.9	(20.4-25.4)
By Age (%)	18-24	21.1	(16.2-26.0)	◆	◆
	25-34	30.2	(25.7-34.7)	13.5	(10.6-16.4)
	35-44	24.6	(20.9-28.3)	19.6	(16.3-22.9)
	45-54	24.6	(21.7-27.5)	19.7	(17.0-22.4)
	55-64	20.7	(18.2-23.2)	30.3	(27.4-33.2)
	65+	10.2	(8.6-11.8)	40.1	(37.6-42.6)
By Education Level (%)	Less than High School	34.3	(29.8-35.8)	25.8	(22.3-29.3)
	High School Grad or GED	24.5	(22.0-27.0)	21.2	(19.0-23.4)
	Some Post-High School	20.3	(17.9-22.7)	23.5	(21.1-25.9)
	College Grad	8.6	(7.0-10.0)	21.9	(19.7-24.1)
*Among all adults, the proportion reporting that they had ever smoked at least 100 cigarettes (5 packs) in their lifetime and that they smoke cigarettes now, either everyday or some days.					
◆Suppressed due to N<50					
Source: 2015 Behavioral Risk Factor Surveillance System					
Note: Current BRFSS prevalence data are not directly comparable to BRFSS data prior to 2011 due to changes in methodology.					